Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Diameter: 5/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1319	6x19	FC	Galvanized	No	EIP RRL

Diameter: 3/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1000	1x7	WSC	Galvanized	No	EHS Tower cable

Diameter: 3/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1060	7x19	WSC	Galvanized	No	Gac
Yes	1126		Sythetic Rope	Synthetic Rope	No	12 Strand Vectron
Yes	1171	1x19	WSC	Stainless Steel	Yes	
Yes	1211	4x31	WSC	Galvanized	No	Coreless stage wirer rope XLT-4

Diameter: 7/32 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1205	7x19	WSC	Stainless Steel	No	

Diameter: 1/4 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1001	1x7	WSC	Galvanized	No	EHS Tower cable
Yes	1045	7x19	WSC	Galvanized	No	Gac
Yes	1072	7x7	WSC	Galvanized	No	
Yes	1158	1x19	WSC	Galvanized	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1159	7x19	WSC	Galvanized	No	Wire Core EIPS
Yes	1160	19x7	IWRC	Galvanized	No	IWRC LowRotation - steel Black Oxide
Yes	1213	4x31	WSC	Galvanized	No	Coreless stage wire rope XLT-4
Yes	1218	7x19	WSC	Stainless Steel	No	Air craft
Yes	1239	12 Strand	Sythetic Rope	Synthetic Rope	No	Bob Rope
Yes	1269	7x19	WSC	Stainless Steel	No	Plastic coating .40 OD
Yes	1279	19x7	IWRC	Stainless Steel	No	Rotation resistant
Yes	1280	4x31	Coreless	Galvanized	No	XLT4
Yes	1311	6x19	IWRC	Stainless Steel	No	

Diameter: 9/32 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1227	6x19	IWRC	Galvanized	No	

Diameter: 5/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1002	1x7	WSC	Galvanized	Yes	EHS Tower cable
Yes	1073	6x12	FC	Galvanized	no	
Yes	1074	6x26	FC	Galvanized	No	
Yes	1151	1x19	WSC	Stainless Steel	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1172	6x36	IWRC	Galvanized	Yes	
Yes	1221	5x26	IWRC	Galvanized	No	
Yes	1222	5x26	FC	Galvanized	No	
Yes	1224	7x19	WSC	Galvanized	No	Air craft EIPS
Yes	1225	6x19	IWRC	Galvanized	No	
Yes	1253				No	AM Steel, listed as .323 Blue Cooper I
Yes	1255	7x19		Stainless Steel	No	
Yes	1278	19x7	IWRC	Galvanized	No	YHTS rotation resistant
Yes	1306	6x19	IWRC		No	

Diameter: 3/8 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1003	1x7	WSC	Galvanized	Yes	EHS tower cal
Yes	1046	7x19	WSC	Galvanized	No	Gac
Yes	1098	7x19	WSC	Galvanized	No	Gac
Yes	1101	1x7	WSC	Galvanized	No	HS Barrier cable
Yes	1113	7x19	WSC	Stainless Steel	No	AC
Yes	1147		Sythetic Rope	Synthetic Rope	No	vectron

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1162	1x19	WSC	Stainless Steel	No	
Yes	1163	6x37	IWRC	Stainless Steel	No	
Yes	1164	6x26	IWRC	Stainless Steel	No	
Yes	1165	7x19	WSC	Galvanized	No	Wire Core DQT .430 O.D. - Galvanized Plastic Coat
Yes	1166	8x19	FC	Galvanized	No	Fiber Core Rotation Resis
Yes	1167	19x7	WSC	Galvanized	Yes	Rotation resistant
Yes	1196	6x19	IWRC	Galvanized	No	Soaring Eagle
Yes	1216	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1240	12 Strand	Sythetic Rope	Synthetic Rope	No	Bob Rope
Yes	1242	12 Strand	Sythetic Rope	Synthetic Rope	No	Spectra rope
Yes	1244	12 Strand	Sythetic Rope	Synthetic Rope	No	Amsteel rope (Blue)
Yes	1249	1x19	WSC	Stainless Steel	No	
Yes	1256	7x19		Stainless Steel	No	
Yes	1264	6x19	FC	Galvanized	No	
Yes	1271	7x31		Galvanized	No	
Yes	1272	12 Strand	Sythetic Rope	Synthetic Rope	No	Vectron
Yes	1277	19x7	IWRC	Stainless Steel	No	Rotation resistant

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1310	6x19	IWRC	Stainless Steel	No	
Yes	1316	7x19	IWRC	Galvanized	No	Customer said GAC cable

Diameter: 7/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1004	1x7	WSC	Galvanized	Yes	EHS Tower cable
Yes	1029	6x37	IWRC	Stainless Steel	No	
Yes	1109	6x35	WSC	Stainless Steel	No	AC
Yes	1153	6x25	IWRC	Galvanized	No	
Yes	1154	6x26	IWRC	Galvanized	No	IWRC Flex X6
Yes	1155	6x36	IWRC	Galvanized	No	
Yes	1156	6x37	IWRC	Galvanized	No	
No	1169	12 Strand		Synthetic Rope	No	Black
Yes	1194	6x36	IWRC	Galvanized	No	XIP
Yes	1198	-	IWRC	Galvanized	No	.437 dia
No	1241	12 Strand	Sythetic Rope	Synthetic Rope	No	Bob Rope
Yes	1257	6x36	IWRC	Stainless Steel	No	
	1270				-	20m Alumoweld

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Diameter: 1/2 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1005	1x7	WSC	Galvanized	Yes	EHS Tower cable
Yes	1006	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1047	6x36	IWRC	Galvanized	No	
Yes	1048	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1092	7x19	WSC	Galvanized	No	Gac
Yes	1096	6x19	IWRC	Galvanized	No	
Yes	1106	6x26	IWRC	Galvanized	No	
Yes	1114	6x19	IWRC	Stainless Steel	No	
Yes	1115	6x25	IWRC	Galvanized	No	IWRC-XIP
Yes	1121	6x25	IWRC	Stainless Steel	No	
Yes	1129	8x19	FC	Galvanized	No	
Yes	1183	1x7	WSC	Galvanized	Yes	Cooper insterment
Yes	1184	6x26	IWRC	Galvanized	Yes	
Yes	1186	6x36	IWRC	Stainless Steel	Yes	
Yes	1187	6x41	IWRC	Galvanized	Yes	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1192	1x19	WSC	Stainless Steel	No	
Yes	1199	6x36	IWRC	Galvanized	No	
Yes	1202	19x7	IWRC	Galvanized	No	Rotation Resistant
Yes	1214	6x19	IWRC	Galvanized	No	Swagged
Yes	1217	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1229	6x37	FC	Galvanized	No	
Yes	1232	6x19	IWRC	Galvanized	No	Swagged
Yes	1254	6x26	IWRC	Galvanized	No	Compressed Swagged
	1263	6x26	IWRC	Galvanized	No	Super Swagged
Yes	1276	6x26	IWRC	Galvanized	No	plied fee compacted
Yes	1282	7X7X7	WSC	Galvanized	No	
Yes	1287	6x26	IWRC	Galvanized	No	EIPS
Yes	1307	1x19	WSC		No	swaged
Yes	1308	6x26	IWRC	Galvanized	No	baracuda
Yes	1309	7x19	WSC	Stainless Steel	No	

Diameter: 9/16 Uni ts: Inch

Is Cable in Stock?: ID: Strand Arg.: Core: Material: Dillon Replenished Cable: Cable Notes:

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1007	1x7	WSC	Galvanized	Yes	EHS Tower cable
Yes	1008	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1056	8x19	FC	Galvanized	No	
Yes	1079	6x36	IWRC	Galvanized	No	(EIPS RRL)
Yes	1209	6x26	IWRC	Galvanized	No	Academy
Yes	1219	6x25	FC	Galvanized	No	RRL-EIP
	1246	6x26	IWRC	Galvanized	No	
	1274	6x36	IWRC	Galvanized	No	BR EIP RR

Diameter: 5/8 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1009	1x7	WSC	Galvanized	Yes	EHS Tower cable
Yes	1010	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1036		FC	-	No	Philly strand (plastic coating)
Yes	1049	6x26	IWRC	Galvanized	No	
Yes	1050	6x25	IWRC	Galvanized	No	
Yes	1055	1x37	WSC	Stainless Steel	No	
Yes	1082	6x19	IWRC	Stainless Steel	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1083	6x19	IWRC	Stainless Steel	No	
Yes	1084	6x19	IWRC	Galvanized	No	
Yes	1095	6x26	IWRC	Galvanized	No	
Yes	1097	6x7	FC	Galvanized	No	shell oil
Yes	1161	6x19	IWRC	Stainless Steel	No	
Yes	1178	6x26	IWRC	Galvanized	Yes	Worrington Seal
Yes	1179	6x36	IWRC	Galvanized	Yes	
Yes	1188	6x37	IWRC	Galvanized	Yes	
Yes	1189	8x19	FC	Galvanized	Yes	Rotation Resistant
Yes	1190	19x7	IWRC	Galvanized	No	Rotation resistant
Yes	1201	6x36	IWRC	Galvanized	No	
No	1203	6x25	IWRC	Galvanized	No	
Yes	1204	8x26	IWRC	Galvanized	No	oil steel EIP
Yes	1220	7x19	WSC	Galvanized	No	
Yes	1234	6x36	IWRC	Galvanized	No	WS-XIP-RR
Yes	1235	8x25	IWRC	Galvanized	No	XIP
	1258	6x19	IWRC	Stainless Steel	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

	1273	8x25	IWRC	Galvanized	No	
	1275	6x26	IWRC	Galvanized	No	Plied fee compacted
	1301	6x36	FC	Galvanized	No	Steal Bright
Yes	1305	6x25	IWRC	Stainless Steel	No	grade 316

Diameter: 11/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1011	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1077	8x19	FC	Galvanized	No	

Diameter: 3/4 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1012	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1021	6x25	IWRC	Galvanized	Yes	
Yes	1022	3x7	WSC	Galvanized	Yes	
Yes	1023	6x26	IWRC	Galvanized	Yes	
Yes	1024	6x36	IWRC	Galvanized	Yes	
Yes	1025	6x37	IWRC	Galvanized	No	
Yes	1026	6x19	IWRC	Galvianized	No	
Yes	1027	1x37	WSC	Galvanized	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1028	8x19	FC	Galvanized	No	
Yes	1030	6x36	IWRC	Galvanized	No	
Yes	1031	6x36	IWRC	Galvanized	No	
Yes	1032	6x26	IWRC	Galvanized	No	Extra improve plow
No	1033	12	Sythetic Rope	Synthetic Rope	No	Extra improve plow Plasma Rope
Yes	1034	6x36	IWRC	Galvanized	No	
Yes	1035	1x19	WSC	Galvanized	No	Grade 220
Yes	1053	8x19	FC	Galvanized	No	
Yes	1062	8x19	FC	Galvanized	No	Rotation Resistent
Yes	1111	8x25	IWRC	Galvanized	No	IWRC oiled
Yes	1137	6x26	IWRC	Galvanized	No	IPS
Yes	1200	8x19	FC	Galvanized	No	Rotation Resistant
Yes	1206	6x25	IWRC	Galvanized	No	
Yes	1236	6x36	IWRC	Galvanized	No	WS-XIP
	1247	6x26	IWRC	Galvanized	No	XIPS
No	1250	12 Strand	Sythetic Rope	Synthetic Rope	No	Plasma (white)
	1252	6x36	IWRC	Galvanized	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1268	7		Galvanized	No	7 Flex

Diameter: 13/16 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1013	1x19	WSC	Galvanized	Yes	EHS Tower cable

Diameter: 7/8 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1014	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1042	6x26	IWRC	Galvanized	No	Swagged
Yes	1081	19x7	WSC	Galvanized	No	(XIP RR)
Yes	1094	6x19	IWRC	Galvanized	No	
Yes	1173	8x26	IWRC	Galvanized	Yes	Oiled cable
Yes	1177	6x25	IWRC	Galvanized	Yes	
Yes	1185	6x36	IWRC	Galvanized	Yes	
Yes	1195	6x19	IWRC	Galvanized	No	
Yes	1231	1x37	WSC	Galvanized	No	
Yes	1233	6x37	IWRC	Galvanized	No	Prestressed
Yes	1245	6x25	IWRC	Stainless Steel	No	Mooring Cable
	1248	6x36	IWRC	Galvanized	No	Accuvate Grant EIP Warrenton Seal

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

	1286	6x26	IWRC	Galvanized	No	
Yes	1304	6x37	FC	Galvanized	No	For sales order # 1661719

Diameter: 1.0 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1015	1x19	WSC	Galvanized	Yes	EHS Tower cable
Yes	1037	6x36	IWRC	Galvanized	No	
Yes	1038	6x26	IWRC	Galvanized	No	
Yes	1040	6x36	IWRC	Stainless Steel	No	
Yes	1041	1x37	WSC	Galvanized	No	
Yes	1043	1x35	WSC	Galvanized	No	
Yes	1052	6x25	FC	Galvanized	No	oiled EIP
Yes	1069	6x36	IWRC	Stainless Steel	No	
Yes	1168	6x25	IWRC	Galvanized	No	

Diameter: 1.00 Uni ts: Inch

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
	1318	6x37	IWRC	Galvanized	No	

Diameter: 4 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1090				No	ST.Belgium Wire Solid Core

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Diameter: 5 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1122	6x25	IWRC	Stainless Steel	No	

Diameter: 6 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1086	8x19	WSC	Galvanized	No	WSC-RHOL
Yes	1087	18x7	WSC	Galvanized	No	WSC-RHOL
Yes	1108	6x12	FC	Galvanized	No	
Yes	1123	1x7	WSC	Galvanized	No	
Yes	1124	6x7	IWRC	Stainless Steel	No	IWRC inox line
Yes	1125	7x19	WSC	Galvanized	No	Gac
Yes	1157	1x19	WSC	Stainless Steel	No	
Yes	1228	7x7	WSC	Galvanized	No	
	1281	1x19	WSC	Stainless Steel	No	
	1285	7x7	WSC	Stainless Steel	No	

Diameter: 7.8 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1064	1x7	WSC	Galvanized	No	

Diameter: 8 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1054	6x26	IWRC	Galvanized	No	
Yes	1065	1x19	WSC	Galvanized	No	
Yes	1071	7x19	WSC	Galvanized	No	
Yes	1075	6x25	IWRC	Galvanized	No	
Yes	1078	8x19	IWRC	Galvanized	No	Rotation Resistant
Yes	1110	8x19	IWRC	Galvanized	No	Rotation Resistant
Yes	1112	6x24	FC	Galvanized	No	
Yes	1127	1x19	WSC	Stainless Steel	No	
Yes	1128	6x19	IWRC	Galvanized	No	
Yes	1130	7x7	WSC	Stainless Steel	No	wirer core
Yes	1131	7x19	WSC	Stainless Steel	No	wirer core
Yes	1152	18x5	IWRC	Galvanized	No	Zink coated

Diameter: 8.4 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1132	5x26	FC	Galvanized	No	

Diameter: 9 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1063	1x19	WSC	Galvanized	No	GJ-50

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1133	1x7	WSC	Galvanized	No	
Yes	1314	7X3-7	WSC	Copper	No	Magnesium Copper

Diameter: 9.5 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1039	7x19	WSC	Galvanized	No	
Yes	1210	1x7	WSC	Galvanized	No	ST-55

Diameter: 9.6 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1134	1x7	WSC	Galvanized	No	
Yes	1135	6x37	IWRC	Galvanized	No	

Diameter: 10 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1017	8x19	FC	Galvanized	Yes	
Yes	1066	1x19	WSC	Galvanized	No	
Yes	1076	6x25	IWRC	Galvanized	No	
Yes	1100	7x19	WSC	Stainless Steel	No	AC
Yes	1102	7x19	WSC	Galvanized	No	Gac
Yes	1103	1x19	WSC	Galvanized	No	EHS
Yes	1136	6x19	IWRC	Stainless Steel	No	IWRC Inox Line

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1148	1x19	WSC	Stainless Steel	No	
Yes	1191	6x24	FC	Galvanized	No	
Yes	1230	7x19	WSC	Galvanized	No	
Yes	1284	2/0		-	No	TROLLEY WIRE
Yes	1312	6x19	IWRC	Galvanized	No	

Diameter: 10.5 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1138	1x7	WSC	Galvanized	No	

Diameter: 11 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1051	1x19	WSC	Galvanized	No	GJ-70
Yes	1057	8x19	FC	Galvanized	No	Rotation Resistent
Yes	1139	8x25	IWRC	Galvanized	No	Rotation Resistant
Yes	1181	8x25	IWRC	Galvanized	Yes	Compacted with plastic core

Diameter: 12 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
No	1067	1x19	WSC	Galvanized	No	
Yes	1068	1x19	WSC	Galvanized	No	
Yes	1089	18x7	WSC	Galvanized	No	WSC-RHOL

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1091	6x26	IWRC	Galvanized	No	Super swaged
Yes	1099	6x24	FC	Galvanized	No	
Yes	1104	6x26	IWRC	Galvanized	No	Warrington Seal
Yes	1140	6x19	IWRC	Galvanized	No	
Yes	1141	8x19	FC	Galvanized	No	Rotation Resistant
Yes	1144	1x19	WSC	Stainless Steel	No	
Yes	1149	7x7	WSC	Stainless Steel	No	
Yes	1243	12 Strand	Sythetic Rope	Synthetic Rope	No	Marlow rope MGPTech-12 (black)
Yes	1251	6x24	FC	Galvanized	No	
	1259		IWRC	Galvanized	No	Swagged Pfifer
Yes	1283	6x26	IWRC	Galvanized	No	

Diameter: 12.5 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1059	8x26	IWRC	Galvanized	No	Rotation Resistent
Yes	1080	1x19	WSC	Galvanized	No	(GJ-100)

Diameter: 12.9 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1182	1x9	IWRC	Aluminum	Yes	Cable is a Phiber optical core, INFO above can only be

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Diameter: 13 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1058	1x19	WSC	Galvanized	No	
Yes	1088	6x26	IWRC	Galvanized	No	-WS
Yes	1142	8x19	IWRC	Galvanized	No	Rotation Resistant
Yes	1170	8x19	FC	Galvanized	Yes	Rotation Resistant, listed as .406
Yes	1193	6x31	IWRC	Stainless Steel	No	Swagged

Diameter: 13.5 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1105	1x19	WSC	Galvanized	No	

Diameter: 14 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1018	8x19	FC	Galvanized	Yes	
Yes	1143	1x19	WSC	Stainless Steel	No	
Yes	1265	6x19	IWRC	Galvanized	No	
	1303	e cable not	IWRC	Galvanized	No	16 outer strands 245 wires max cable load 9824 lbs

Diameter: 15 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1070	1x19	WSC	Galvanized	No	
Yes	1212	1x7	WSC	Galvanized	No	ST-135

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Diameter: 15.2 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1226	1x7	WSC	Galvanized	No	FRP-Teck India

Diameter: 16 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1019	8x19	FC	Galvanized	Yes	
Yes	1085	6x19	IWRC	Galvanized	No	
Yes	1107	9x25	IWRC	Galvanized	No	IWRC Rotation Resistant
Yes	1117	1x19	WSC	Galvanized	No	
Yes	1145	1x19	WSC	Stainless Steel	No	
Yes	1146	6x19	IWRC	Galvanized	No	
Yes	1174	7x19	WSC	Galvanized	No	
Yes	1175	8x26	IWRC	Galvanized	Yes	Rotation Resistant
Yes	1197	6x24	FC	Galvanized	No	
Yes	1207	35x7	WSC	Galvanized	No	Oil steel
Yes	1223	38x7	IWRC	Galvanized	No	Python
Yes	1237	35x7	WSC	Galvanized	No	Starlift XTRA (RL)
Yes	1266	6x19	IWRC	Galvanized	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Yes	1317	8x25	WSC	Galvanized	No	Warrington Seale

Diameter: 17 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1215	1x19	WSC	Galvanized	No	ST-180

Diameter: 18 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1016	3x7	WSC	Galvanized	no	guard wire
Yes	1118	1x19	WSC	Galvanized	No	
Yes	1150	6x32	IWRC	Galvanized	No	
Yes	1180	6x37	IWRC	Galvanized	No	

Diameter: 18.75 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1315	1x19	WSC	Galvanized	No	

Diameter: 19 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1116	35x7	WSC	Galvanized	No	Star Lift Soaring Eagle
Yes	1238	35x7	WSC	Galvanized	No	Starlift

Diameter: 20 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1020	8x19	FC	Galvanized	Yes	
Yes	1044	1x19	WSC	Galvanized	No	

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1119	1x19	WSC	Galvanized	No	
Yes	1261	1x37	WSC	Galvanized	No	
Yes	1267	6x19	IWRC	Galvanized	No	

Diameter: 22 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1120	1x19	WSC	Galvanized	No	
Yes	1208	35x7	WSC	Galvanized	No	Oil steel
Yes	1262	8x26	IWRC	Galvanized	No	Oiled

Diameter: 24 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1260	1x37	WSC	Galvanized	No	

Diameter: 6 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1313	6x19	IWRC	Galvanized	No	

Diameter: 26 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1093	6x36	IWRC	Galvanized	No	IWRC-RHOL

Diameter: 32 Uni ts: mm

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:
Yes	1176					

Diameter: Uni ts: Unused

Is Cable in Stock?:	ID:	Strand Arg.:	Core:	Material:	Dillon Replenished Cable:	Cable Notes:

Sort by Cable Diameter - Web Document

Strand Arrangement Legend:
IWRC = Independent Wire Rope Core
WSC = Wire Strand Core
FC = Fiber Core

Cable Notes Legend:
ACSR = Aluminum Conductor Steel Reinforced
GAC = Galvanized Aircraft Quality
EHS = Extra High Strength
EIPS = Extra Improved Plowed Steel

	1288					
	1289					
	1290					
	1291					
	1292					
	1293					
	1294					
	1295					
	1296					
	1297					
	1298					
	1299					
	1300					
	1302					